POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS			
Total 2003 Population 43,4 Population per square mile	as HSRS reports costs for services	Per 10,000 Staffing - FTE Number Population Total staff 26.4 6.1			
Age Female Male Tot 0-14 4,170 4,350 8,5 15-19 1,540 1,650 3,2	Clients Costs COP 19 \$367, 371	Staffing - FTE Number Population Total staff 26.4 6.1 Administrative 2.0 0.5 Public health nurses 6.3 1.5 Other prof. staff 9.7 2.2 Technical/Paraprof. 1.8 0.4 Support staff 6.6 1.5			
20-24 1, 130 1, 230 2, 3 25-29 1, 010 1, 060 2, 0 30-34 1, 220 1, 280 2, 5 35-39 1, 510 1, 510 3, 0 40-44 1, 810 1, 810 3, 6	COP-W 52 \$539, 210 CSLA 0 \$0 Brain Injury 1 \$26, 645 Total COP/Wvrs 186 \$2, 818, 275	Fundi ng Per capi ta Total \$1,757,690 \$40.68 Local Taxes \$654,149 \$15.14			
45-54 3, 260 3, 480 6, 7 55-64 2, 360 2, 440 4, 8		LI CENSED ESTABLI SHMENTS			
65-74 1,700 1,610 3,3 75-84 1,320 990 2,3 85+ 700 310 1,0 Total 21,720 21,730 43,4	were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.	Type Capacity Facilities Bed & Breakfast 27 8 Camps 1,023 28 Hotels, Motels 588 32 Tourist Rooming 28 11 Pools 23			
Age Female Male Tot 0-17 5,070 5,300 10,3 18-44 7,320 7,590 14,9	include federal funding.	Pools 23 Restaurants 211 Vending 5			
18-44 7, 320 7, 590 14, 9 45-64 5, 620 5, 920 11, 5 65+ 3, 720 2, 910 6, 6 Total 21, 720 21, 730 43, 4	Waiting 0 n/a	WIC PARTICIPANTS			
Poverty Estimates for 2000					
Estimate (C.I.+/ All ages 2,936 1 7.1% (5% Ages 0-17 899 8.3% (8%	Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	Pregnant/Postpartum 423 Infants 401 Children, age 1-4 633 Total 1,457			
Average wage for jobs covered by unemployment compensation \$26,3 (place of work) Labor Force Estimates Civilian Labor Force 24,0 Number employed 22,4 Number unemployed 1,6 Unemployment rate	Home Health Agencies 1 Patients 480 Patients per 10,000 pop. 110 Nursing Homes 6	CANCER INCIDENCE (2002) Pri mary Si te Breast 18 Cervi cal 2 Col orectal 17 Lung and Bronchus 23 Prostate 22 Other si tes 64 Total 146			
Unamproyment rate 0	per 1,000 popuration 59	Note: Totals shown are for invasive cancers only.			

			NATA	JITY				
TOTAL LIVE BIRTHS		477	Birth Order	Births	Percent	Marital Status		
TOTAL ETVE BITATIO		1,,,	First	188	39	of Mother	Bi rths	Percent
Crude Live Birth Rate		11. 0	Second	168	35	Marri ed	330	69
General Fertility Rat		58. O	Thi rd	71	15	Not married	147	31
delieral restrictly Rat	С	36. 0	Fourth or higher		10	Unknown	0	0
	اء ۽ طبع		Halmanna	0	0	UTRITOWIT	U	U
Live births with repo congenital anomalies	rtea	E 4.00/	Unknown	U	U	E		
congenital anomalies		5 1.0%				Educati on	D	
						of Mother	Bi rths	Percent
Delivery Type	Bi rths	Percent	1st Prenatal Visit		Percent	Elementary or le	ess 4	1
Vagi nal after			1st trimester	396	83	Some high school	42	9
previ ous cesarean	3	1	2nd trimester	63	13	High school	170	36
I DI CENS			3rd trimester	11	2	High school Some college	143	30
Other vaginal Primary cesarean	350	73 16	No visits	0	0	College gräduate	116	24
Primary česarean	77	16	Unknown	7	1	Unknown	2	<. 5
Repeat cesarean	46	10						
· '			Prenatal Visits	Bi rths	Percent	Smoking Status		
Bi rthwei ght	Bi rths	Percent	No visits	0	0	of Mother	Bi rths	Percent
<1.500 am	7	1. 5	1-4	12	3	Smoker	112	23
1.500-2.499 gm	19	4. 0	5-9	105	22	Nonsmoker	362	76
2.500+ am	451	94. 5	10-12	187	39	Unknown	3	1
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	0	0	13+	163	34	3	· ·	·
	· ·	•	Unknown	10	2			
			• · · · · · · · · · · · · · · · · · · ·	. •	_			
			Low Birthweight		Tri mest	er of First Prenata	al Visit	
			Low Birthweight (under 2,500 gm)	1st Tr	imactor	er of First Prenata 2nd Trimester	al Visit Other/	'Unknown
Race/Ethni ci ty	Births F	Percent	(under 2,500 am)	1st Tr Births	imactor	2nd Trimoctor	Other/	'Unknown Percent
Race/Ethni ci ty Whi te	462	97	(under 2,500 gm)	1st Tr Births 386	imester	2nd Trimoctor	Other/	'Unknown Percent 4
White	462	97	(under 2,500 gm) Births Percent	Bi rths	imester Percent 84	2nd Trimester Births Percent 58 13 * .	Other/ Bi rths	Percent
White Black/Afr. American American Indian	462 1 6	97	(under 2,500 gm) Births Percent	Bi rths 386	imester Percent 84 83	2nd Trimester Births Percent 58 13	Other/ Bi rths 18	Percent
White Black/Afr. American American Indian	462 1 6	97	(under 2,500 gm) Births Percent	Bi rths 386 *	imester Percent 84	2nd Trimester Births Percent 58 13 * .	Other/ Bi rths 18	Percent
White Black/Afr. American American Indian	462 1 6	97 <. 5 1 1 0	(under 2,500 gm) Births Percent	Bi rths 386 * 5	imester Percent 84 83	2nd Trimester Births Percent 58 13 * 1 17 3 43	Other/ Bi rths 18	Percent
White Black/Afr. American American Indian	462 1 6	97 <. 5 1 1	(under 2,500 gm) Births Percent	Bi rths 386 * 5	imester Percent 84 83	2nd Trimester Births Percent 58 13 * 1 17	Other/ Bi rths 18	Percent
White Black/Afr. American American Indian	462	97 <. 5 1 1 0	(under 2,500 gm) Births Percent 26 5.6 *	Bi rths 386 * 5 4	i mester Percent 84 83 57	2nd Trimester Births Percent 58 13 * 1 17 3 43	Other/ Bi rths 18 *	Percent
White Black/Afr. American American Indian	462 1 6 7 0 1	97 <. 5 1 1 0 <. 5	(under 2,500 gm) Births Percent 26 5.6 *	Bi rths 386 * 5 4	i mester Percent 84 . 83 57	2nd Trimester Births Percent 58 13 * 1 17 3 43 er of First Prenata	Other/ Births 18 * al Visit	Percent 4
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	462 1 6 7 0 1	97 <.5 1 0 <.5	(under 2,500 gm) Births Percent 26 5.6 * tow Birthweight (under 2,500 gm)	Bi rths 386 * 5 4 *	i mester Percent 84 . 83 57 Tri mest	2nd Trimester Births Percent 58 13 * 1 17 3 43 . * er of First Prenata 2nd Trimester	Other/ Births 18 * al Visit Other/	Percent
White Black/Afr. American American Indian	462 1 6 7 0 1	97 <. 5 1 1 0 <. 5	(under 2,500 gm) Births Percent 26 5.6 *	Bi rths 386 * 5 4 *	i mester Percent 84 . 83 57	2nd Trimester Births Percent 58 13 * 1 17 3 43 . * er of First Prenata 2nd Trimester	Other/ Births 18 * al Visit Other/	Percent 4
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	462 1 6 7 0 1 Fe Bi rths	97 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 26 5.6 * tow Birthweight (under 2,500 gm) Births Percent	Bi rths 386 * 5 4 * 1st Tr Bi rths *	i mester Percent 84 . 83 . 57	2nd Trimester Births Percent 58 13 * 1 17 3 43 * * er of First Prenata 2nd Trimester Births Percent *	Other/ Bi rths 18 * al Vi si t Other/ Bi rths	Percent 4
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	462 1 6 7 0 1 Fe Bi rths 1 13	97 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 26 5.6 * tow Birthweight (under 2,500 gm) Births Percent * 1 7.7	Bi rths 386 * 5 4 * 1st Tr Bi rths *	i mester Percent 84 . 83 57 Tri mester Percent . 62	2nd Trimester Births Percent 58 13 * 1 17 3 43 er of First Prenata 2nd Trimester Births Percent * 3 23	Other/ Bi rths 18 * al Vi si t Other/ Bi rths *	Percent 4
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	462 1 6 7 0 1 Fe Bi rths 1 13 25	97 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 26 5.6 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 2 8.0	Bi rths 386 * 5 4 * 1st Tr Bi rths * 8 19	i mester Percent 84 . 83 57 Tri mester Percent . 62 76	2nd Trimester Births Percent 58 13 * 1 17 3 43 er of First Prenata 2nd Trimester Births Percent * 3 23 4 16	Other/ Bi rths 18 * al Vi si t Other/ Bi rths * 2	Percent 4
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	462 1 6 7 0 1 Fe Bi rths 1 13 25 127	97 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 26 5.6 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 2 8.0 5 3.9	Bi rths 386 * 5 4 * 1st Tr Bi rths * 8 19 105	i mester Percent 84 . 83 . 57	2nd Trimester Births Percent 58 13 * 1 17 3 43 er of First Prenata 2nd Trimester Births Percent * 3 23 4 16 18 14	Other/ Bi rths 18 * al Vi si t Other/ Bi rths 2 2	Percent 4
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	462 1 6 7 0 1 Fe Bi rths 1 13 25 127 153	97 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 26 5.6 *	Bi rths 386 * 5 4 * 1st Tr Bi rths * 8 19 105 128	i mester Percent 84 . 83 57 Tri mester Percent . 62 76 83 84	2nd Trimester Births Percent 58 13 * 1 17 3 43 er of First Prenata 2nd Trimester Births Percent * 3 23 4 16 18 14 20 13	Other/Births 18 * al Visit Other/Births 2 2 4 5	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	462 1 6 7 0 1 Fe Bi rths 1 13 25 127 153 106	97 <.5 1 0 <.5 ertility Rate 14 39 113 152 87	(under 2,500 gm) Births Percent 26 5.6 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 2 8.0 5 3.9 10 6.5 2 1.9	Bi rths 386 * 5 4 * 1st Tr Bi rths * 8 19 105 128 95	i mester Percent 84 . 83 57 Tri mest i mester Percent . 62 76 83 84 90	2nd Trimester Births Percent 58 13 * 1 17 3 43 er of First Prenata 2nd Trimester Births Percent * 3 23 4 16 18 14 20 13 7 7	Other/ Bi rths 18 * al Vi si t Other/ Bi rths 2 2	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	462 1 6 7 0 1 Fe Bi rths 1 13 25 127 153 106 44	97 <.5 1 0 <.5 	(under 2,500 gm) Births Percent 26 5.6 *	Bi rths 386 * 5 4 * 1st Tr Bi rths * 8 19 105 128	i mester Percent 84 . 83 . 57	2nd Trimester Births Percent 58 13 * 1 17 3 43 er of First Prenata 2nd Trimester Births Percent * 3 23 4 16 18 14 20 13 7 7 8 18	Other/Births 18 * al Visit Other/Births 2 2 4 5	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	462 1 6 7 0 1 Fe Bi rths 1 13 25 127 153 106	97 <.5 1 0 <.5 ertility Rate 14 39 113 152 87	(under 2,500 gm) Births Percent 26 5.6 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 2 8.0 5 3.9 10 6.5 2 1.9	Bi rths 386 * 5 4 * 1st Tr Bi rths * 8 19 105 128 95	i mester Percent 84 . 83 57 Tri mest i mester Percent . 62 76 83 84 90	2nd Trimester Births Percent 58 13 * 1 17 3 43 er of First Prenata 2nd Trimester Births Percent * 3 23 4 16 18 14 20 13 7 7	Other/Births 18 *	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	462 1 6 7 0 1 Fe Bi rths 1 13 25 127 153 106 44	97 <.5 1 0 <.5	(under 2,500 gm) Births Percent 26 5.6 * Low Birthweight (under 2,500 gm) Births Percent * 1 7.7 2 8.0 5 3.9 10 6.5 2 1.9 6 13.6	Bi rths 386 * 5 4 1st Tr Bi rths * 8 19 105 128 95 35	i mester Percent 84 . 83 . 57	2nd Trimester Births Percent 58 13 * 1 17 3 43 er of First Prenata 2nd Trimester Births Percent * 3 23 4 16 18 14 20 13 7 7 8 18	Other/Births 18 *	Percent
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	462 1 6 7 0 1 Fe Bi rths 1 13 25 127 153 106 44 8	97 <.5 1 0 <.5	(under 2,500 gm) Bi rths Percent 26 5.6 * Low Bi rthwei ght (under 2,500 gm) Bi rths Percent * 1 7.7 2 8.0 5 3.9 10 6.5 2 1.9 6 13.6	Bi rths 386 * 5 4 .* 1st Tr Bi rths 8 19 105 128 95 35 6	i mester Percent 84 . 83 . 57 Tri mest i mester Percent . 62 . 76 . 83 . 84 . 90 . 80 . 75 .	2nd Trimester Births Percent 58 13 * 1 17 3 43 er of First Prenata 2nd Trimester Births Percent * 3 23 4 16 18 14 20 13 7 7 8 18 2 25	Other/Births 18 *	Percent 4

MORBI DI TY			MOI	RTALLTY		
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births.					
Di sease Number Campyl obacter Enteritis <5 Gi ardi asis <5 Hepatitis Type A 0 Hepatitis Type B** <5 Hepatitis NANB/C 19	TOTAL DEATHS Crude Death Ra Age 1-4	ate Deaths 1	419 964 Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart disea Cancer (total) Trachea/Bronchus/Lur	se 82 87 g 20	Rate 267 189 200 46
Legi onnai re's 0 Lyme 17 Measl es 0 Meni ngi ti s, Asepti c <5 Meni ngi ti s, Bacteri al <5	5-14 15-19 20-34 35-54 55-64	1 9 32 46	239 959	Colorectal Female Breast Cerebrovascular Disea Lower Resp. Disease Pneumonia & Influenza	25 10	. * 60 58
Mumps 0 Pertussis 0 Sal monellosis 7 Shi gellosis 0 Tuberculosis 0	65-74 75-84 85+ Infant	66 112 149	1, 995 4, 868 14, 822	Acci dents Motor vehicle Di abetes Infect./Parasitic Dis Suici de	18 14 21 . 4 9	48
* 2003 provisional data.** Includes all positive HBsAg test results.	Mortality Total Infant Neonatal Postneonatal Unknown	Deaths 3 3	Rate	* Based on female pop ALCOHOL AND DRUG ABUS OR CONTRIBUTING CA	E AS UNDERLY	
Sexually Transmitted Disease Chlamydia Trachomatis 72 Genital Herpes 8 Gonorrhea <5 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown		·	Al cohol Other Drugs Both Mentioned * Includes tobacco us	e (see page :	7).
Children in Grades K-12 by Compliance Level Compliant 8,236 Non-compliant 42 Percent Compliant 99.5	Bi rthwei ght <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown		: : :	Note: These data are of crash, not Type of Motor Vehicle Crash Total Crashes Al cohol -Rel ated With Citation:	on residence.	
reicent compitant 99.5	Mortality Total Perinatal Neonatal Fetal	Deaths 6 3 3	Rate	For OWI For Speeding Motorcyclist Bicyclist Pedestrian	48 23 18 0 4	1 1 2 0 0

				- 2003 HOSP	ITALIZATIONS					
		Average		Charge	[Dor	Average		Charge
DI SEASE /	1, 000	Stay	Average	Per	DI SEASE /		1, 000	Stay	Average	
AGE GROUP Number	Pop	(Days)	Charge	Capi ta	DI SEASE / AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
	•	` ` ` ,	J	'			•	, ,	J	•
Injury-Related: All					Al cohol -Rel ated					
Total 240	5. 5	3. 3	\$9, 011	\$50	Total	72			\$4, 330	\$7
<18 19					18-44	43	2. 9	5. 0	\$3, 614	\$10
18-44 43	2. 9	2. 1	\$5, 107	\$15	45-64	19				•
45-64 44	3.8	3. 0	\$7, 955	\$30	Pneumonia and Ir					
18-44 43 45-64 44 65+ 134	20. 3	4. 0	\$11, 110	\$225	Total	165	3.8	3. 2	\$6, 537	\$25
Injury: Hip Fracture					<18	12				•
Total 33	0.8	4. 5	\$15, 316	\$12	45-64 65+	21	1. 8	2. 8	\$5, 220	\$10
65+ 30	4. 5	4. 7	\$15, 924	\$72	65+	122	18. 4	3. 5	\$7, 139	\$132
Injury: Poi soni ngs					Cerebrovascul ar	Di sease				
Total 30	0. 7	2. 0	\$3, 962	\$3	Total	79	1. 8	3. 0	\$6, 616	\$12
18-44 13					45-64	13				
					65+	66	10.0	3. 0	\$6, 575	\$66
Psychi atri c					Chronic Obstruct	tive Pulm	onary D)i sease		
Total 209	4. 8	5. 0	\$4, 453	\$21	Total	115	2. 6	3. 0	\$5, 952	\$16
<18 19					<18 18-44 45-64 65+	7				•
18-44 121	8. 1	5. 2	\$4, 441	\$36	18-44	9				•
45-64 65+ 43 26	3. 7	4. 5	\$4, 150	\$15	45-64	25	2. 2	3. 2	\$6, 569	\$14
65+ 26	3. 9	4. 8	\$5, 625	\$22	65+	74	11. 2	3. 2	\$6, 315	\$71
					Drug-Related					
Coronary Heart Disease					Total	28	0.6	8. 5	\$5, 148	\$3
Total 154	3. 5	2. 5	\$8, 588	\$30	18-44	14				•
45-64 31	2. 7	1. 8	\$6, 796	\$18						
65+ 117	17. 7	2. 6	\$7, 967	\$141	Total Hospitaliz	zati ons				_
					Total Hospital 12 Total <18 18-44 45-64 65+	3, 882	89. 3	2. 9	\$6, 774	\$605
Malignant Neoplasms (Ca	incers):	Al I			<18	589	56. 7	2. 2	\$2, 317	\$131
Total 102	2. 3	4. 7	\$16, 430	\$39	18-44	1, 035	69. 4	2. 7	\$5, 791	\$402
18-44 2					45-64	669	58. 0	3. 0	\$8, 681	\$504
Total 102 18-44 2 45-64 31	2. 7	4. 5	\$25, 934	\$70	65+	1, 589	240. 2	3. 3	\$8, 263	\$1, 985
65+ 69	10. 4	48	\$11, 723	\$122						
Neoplasms: Female Bre	east (ra	ates for	temale po	opul ati on)	PRE	LVENTABLE			NS*	
Total 14					Total	659	15. 2	2. 8	\$5, 508	\$84
Neoplasms: Colo-recta	al				<18	45	4. 3	1.6	\$2, 411	\$10
Total 20			\$19, 047	\$9	<18 18-44 45-64	64	4. 3	2. 0	\$4, 479	\$19
65+ 14					45-64	114	9. 9	2. 7	\$5, 472	\$54
Neoplasms: Lung					65+	436	65. 9	3. 0	\$5, 988	\$395
Total 10				•						
Di abatas					*	£	! #! a.a. =			- CC L !
Di abetes	0.0	2 1	ቀ ር [1 /	¢ 4	* Hospi tal i zati ons	Tor cond	ITIONS	where ti	mery and	errective
Total 35	0.8	3. 1	\$5, 516	\$4	ambulatory care car	n reduce	rue iik	ter i nood	oi nospii	tarization.
65+ 15		•	•	•						
					l 					